





672100



672100



672120



672160



672250



672320



672340

672000











Firona

– a touch of luxury

Firona is a luxurious carpet with a high soft pile and neutral elegant colours. The look is vibrant and rich and adds a touch of luxury to its surroundings. A classic choice that combines functionality and aesthetics.

Available in 6 timeless natural colours.

Technical data

| | Standard |  Area rugs |
|--|------------|---|
| Type of manufacture | ISO 2424 | Tufted 1/10 |
| Structure | ISO 2424 | Heat-set velour |
| Pile material | ISO 2424 | 100% PET |
| Dye method | | Solution dyed |
| Primary backing | ISO 2424 | PES |
| Secondary backing | ISO 2424 | Lam. film |
|  Dimensions/Width | ISO 3018 | Approx. 400 cm |
| Surface pile thickness | ISO 1766 | Approx. 14.50 mm |
|  Total thickness | ISO 1765 | Approx. 15.50 mm |
| Total pile mass | ISO 2424 | Approx. 2,140 g/m ² |
|  Total mass | ISO 8543 | Approx. 3,150 g/m ² |
| Stitch rate | ISO 1763 | Approx. 197,000/m ² |
|  Antistatic | ISO 6356 | ≤ 2 kV |
|  Classification for use | EN 1307 | 21 Domestic - moderate and light use |
|  Luxury rating class | EN 1307 | LC4 |
|  Impact sound reduction | ISO 10140 | Approx. ΔL _w 28 dB |
|  Thermal resistance | ISO 8302 | Approx. 0,14 m ² K/W |
|  Fireclass | EN 13501-1 | C _{fl} - s1 |
| CE | EN 14041 | EN 14041:2004 24 |
| DOP | EN 14041 | 672000 |

As we continuously improve our products and testing procedures, any above declaration is subject to amendments without prior notice.
For the latest technical specifications, installation and maintenance guide visit:

www.fletcocarpets.com